

## UniSysCat - Colloquium

Prof. Tharamani C. Nagaiah

Department of Chemistry, Indian Institute of Technology, Ropar

Start Time: Wednesday, July 27, 2022 05:00 pm

End Time: Wednesday, July 27, 2022 06:00 pm

### Conversion of industrial waste H<sub>2</sub>S pollutant to value-added products

Prof. Tharamani C. Nagaiah

Department of Chemistry, Indian Institute of Technology, Ropar

Highly efficient and cost-effective hydrogen production (H<sub>2</sub>) promises to play a vital role in green energy production due to its high energy density, low-pollution, and renewable nature. The electrocatalytic decomposition of H<sub>2</sub>O to H<sub>2</sub> and O<sub>2</sub> considered to be the most sustainable method for pure H<sub>2</sub> production, unfortunately, it stumbles due to potentially uphill and energyconsuming sluggish anodic oxygen evolution reaction (OER).<sup>1</sup> Contrary to H<sub>2</sub>O isostructural hydrogen sulfide (H<sub>2</sub>S) possesses lower bond dissociation energy. Therefore, anodic sulfide oxidation reaction (SOR) will be more energy-efficient than OER. Presently, the Claus process is the most popular industrial technology for removing H<sub>2</sub>S, but energy wasted in the form of steam. Therefore, electrochemical conversion of environment pollutant H<sub>2</sub>S into H<sub>2</sub> and S provide a way to remove pollutant H<sub>2</sub>S and also emerges as new energy source.<sup>2</sup> However, the industrialization of such energy-efficient technology never meets the expectation in reality in the absence of cost-effective and robust electrocatalyst. Herein we have designed CoFeS<sub>2</sub> based catalyst that exhibited lower onset potential of 0.23 V vs. RHE towards SOR, which is 1.25 V lower than OER. Notably, only a 1.2 V commercial battery easily derives H<sub>2</sub>S electrolysis, which is impossible for H<sub>2</sub>O splitting demonstrating the tremendous future prospective of H<sub>2</sub>S for cheaper hydrogen production for a sustainable economy.

#### References:

1. Zhang, M.; Guan, J.; Tu, Y.; Chen, S.; Wang, Y.; Wang, S.; Yu, L.; Ma, C.; Deng, D.; Bao, X., Highly efficient H<sub>2</sub> production from H<sub>2</sub>S via a robust graphene-encapsulated metal catalyst. *Energy Environ. Sci.* 2020, 13 (1), 119-126.
2. Kumar, M.; Tharamani, C. Nagaiah, *Journal of Materials Chemistry A*, 2022, 10, 7048 - 7057

Prof. Prashanth Wilfried Menezes

Organizer